


REV	DC/EC NUMBER	DESCRIPTION	DATE

PIN No.	PIN Name
1	GND
2	MIPI_TDN0
3	MIPI_TDP0
4	GND
5	MIPI_TDN1
6	MIPI_TDP1
7	GND
8	MIPI_TCN
9	MIPI_TCP
10	GND
11	MIPI_TDN2
12	MIPI_TDP2
13	GND
14	MIPI_TDN3
15	MIPI_TDP3
16	GND
17	VDD1.8V
18	VDD2.8V
19	RESET
20	LPTE
21	LCM_ID
22	GND
23	LEDA
24	LEDK
25-30	NC



NOTES:

1. DISPLAY MODE : 5.46" TFT LCD, Transmissive
2. DRIVE IC : ILI7807D OR Equivalent
3. VIEWING DIRECTION : ALL
4. BACKLIGHT: 14 CHIP-WHITE LED, If=20*2mA, 22.4V. BRIGHTNESS: 350cd/m2
5. OPERATING TEMPERATURE: -20°C TO 70°C
STORAGE TEMPERATURE: -30°C TO 80°C
6. GENERAL TOLERANCE : ±0.20

CONTROL DIMENSION:			MODEL NAME	
REFERENCE DIMENSION:	()		PART NAME	3rd ANGLE
APPROVED:	JOBS	DRAWING NUMBER	UNIT	mm
CHECKED:	ERIC	MATERIAL NUMBER	SCALE	1:1
DESIGNED:	ISSCA		PAGE	1/1